



Freeman Flakes Ruby Red

Section 1 Chemical Product and Company Identification

1.1 Product identifiers

Product name: Freeman Flakes Ruby Red

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Jewelry Injection Wax

1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, OH 44011 Telephone (440) 934-1902 www.freemansupply.com

1.4 Emergency telephone number CHEMTREC (800) 424-9300

Section 2 Hazards Identification

2.1 Classification of the substance or mixture

Not classified according to OSHA 29 CFR 1910.1200 HCS

- 2.2 GHS Label elements, including precautionary statements No label element(s) required
- **2.3 Hazards not otherwise classified** Molten product can cause serious burns.

Section 3 Composition/Information on Ingredients

3.1 Mixture of Substances

Proprietary mixture of synthetic and natural waxes, resin(s), additive(s), and oil soluble dye(s). No components need to be disclosed according to the applicable regulations.

Section 4 First Aid Measures

4.1 Description of first aid measures

Inhalation	Get medical assistance if irritation develops or persists. If breathing is difficult,
	move the person to fresh air. Give artificial respiration if person is not breathing.
Skin contact	For thermal burns, flush or submerge effected area in cold water to dissipate heat.
	Cover with clean bandage material. Do not peel material from skin. Get medical attention.
	For contact at ambient temperatures, wash with soap and water.
Eye contact	Immediately flush with plenty of water for at least 15 minutes.
-	If irritation persists, get medical attention immediately, preferably an ophthalmologist.
Ingestion	If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person.
C	Do NOT induce vomiting. Consult a physician if necessary.

Section 5 Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide.

Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. See Section 10 for possible products of hazardous combustion.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Section 6 Accidental Release Measures 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes. Wear appropriate personal protective equipment, see Section 8. 6.2 Environmental precautions Should not be released into the environment. Prevent product from entering drains. 6.3 Methods and materials for containment and cleaning up Do not walk through spilled material. Avoid dust formation. Contain spillage and use clean non-sparking tools to collect material. Shovel spillage into suitable container for disposal. Section 7 Handling and Storage 7.1 Precautions for safe handling Wear appropriate personal protective equipment, see Section 8. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling. Do not use in areas without adequate ventilation. Avoid breathing fumes. Avoid dust formation. Avoid contact with molten material. **Specific end use(s):** Avoid heating above 100°C (212°F) during the normal investment casting process (except dewax operations). Do not let molten product stand in melt tanks and injection machines, stir product continuously. 7.2 Conditions for safe storage, including any incompatibilities Store at ambient temperatures. Keep in closed container when not in use. Keep away from ignition sources, heat, open flames, and direct sunlight. Do not store with incompatible materials, see Section 10. **Section 8 Exposure Controls/Personal Protection** 8.1 Control parameters Substance Name **Exposure Limit / Standard** Source Wax fumes 2 mg/m³ TWA ACGIH **8.2 Exposure controls Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation may be needed in special circumstances, such as poorly ventilated spaces, very hot processing, mechanical generation of dusts, etc. 8.3 Personal protective equipment **Eve/Face** Wear safety glasses equipped with side shields, or safety goggles. Hands Chemical protective gloves should not be needed when handling this material. Use gloves to protect from mechanical injury. Use gloves with insulation for thermal protection when needed. Skin/Body No precautions other than clean body-covering clothing should be needed. Respiratory The need for respiratory protection is not anticipated under normal use conditions and with adequate ventilation. If elevated airborne concentrations above applicable workplace exposure levels are anticipated, or when adverse effects such as respiratory irritation has been experienced, or where indicated by your risk assessment process, then use an approved air-purifying respirator. Use an approved air-purifying respirator with organic vapor cartridge and particulate pre-filter when vapors are generated at increased temperatures. **Safety Stations** Make emergency evewash stations and washing facilities available in work area. **General Hygienic Practices** Wash thoroughly after handling, and before eating, drinking or smoking. Remove contaminated clothing promptly and clean thoroughly before reuse. Avoid contamination of food, beverages, or smoking

Section 9 Physical and Chemical Properties						
9.1 Information on basic physical and chemical pro	merties					
Physical State	Solid					
Color	Red					
Odor	Mild					
Odor Threshold	No data available					
pH	No data available					
Melting Point	>153°F (67°C)					
VOC Content	0					
Boiling Point	No data available					
Flash Point	465°F (240°C) No data available					
Evaporation rate						
Flammability (solid, gas)	No data available					
Upper/lower flammability	No data available					
Vapor Pressure	No data available					
Vapor Density	No data available					
Relative Density (g/cc)	0.9 ± 0.05					
Water Solubility	Negligible					
Coefficient: n-octanol/ water	No data available					
Auto-Ignition Temperature	No data available					
Viscosity	Solid at room temperature					
Explosity Properties	None					
Oxidizing Properties	None					
oxidizing i toper des	None					
Section 1	0 Stability and Reactivity					
10.1 Reactivity:	No dangerous reaction known under conditions of normal use.					
10.2 Chemical stability:	Stable under recommended storage conditions.					
10.3 Possibility of hazardous reactions:	Hazardous polymerization does not occur.					
10.4 Conditions to avoid:	Heat, sparks, open flame. Avoid dust formation.					
10.5 Incompatible materials:	Strong oxidizing agents.					
10.6 Hazardous decomposition products	May include: carbon monoxide, carbon dioxide					
Section 11	Toxicological Information					
Section 11						
11.1 Information on likely routes of exposure	Eye contact, skin contact, ingestion					
Acute Ural l'Oxicity						
Acute Oral Toxicity	Very low toxicity if swallowed. Harmful effects not anticipated					
-	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.					
Acute Dermal Toxicity	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption.					
-	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause					
Acute Dermal Toxicity Acute Inhalation Toxicity	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation.					
Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met					
Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met					
Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met					
Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met					
Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization	 Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen 					
Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity	 Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA. 					
Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity	 Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA. Classification criteria not met 					
Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity Aspiration Hazard	 Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA. 					
Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity Aspiration Hazard Specific Target Organ Toxicity (STOT)	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA. Classification criteria not met Not relevant					
Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity Aspiration Hazard	 Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA. Classification criteria not met 					

	Section	12 Ecological Information			
1 Toxicity 2 Persistence and degradabilit 3 Bioaccumulative potential 4 Mobility in soil 5 Results of PBT & vPvB assess		Not expected to be harn No data available No data available No data available No data available No data available	nful to aquatic organisms		
	Section 1	3 Disposal Considerations			
1 Disposal		Follow applicable Federal, State, and local regulations.			
	Section 1	14 Transport Information			
1 DOT, TDG, IMO/IMDG, IATA/	/ICOA:	Not regulated			
	Section 1	5 Regulatory Information			
RCRA: In the form delivered, this product is not considered as hazardous waste, and is not subject to reporting under the Resource Conservation and Recovery Act. California Proposition 65: A WARNING: This product may expose you to chemicals including alpha-Methylstyrene, which is known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov.					
Chemical Name alpha-Methylstyrene	CAS Number 98-83-9	Concentration (%) <0.03 (estimated)	No Significant Risk Level (NSRL) Not established		
alpha-Methylstyrene	96-63-9		Not established		
	Sectio	n 16 Other Information			
EXPRESSED OR IMPLIED, II	NCLUDING ANY WA	ARRANTY OF MERCHANTA	SENTATION OR WARRANTY, BILITY OR FITNESS FOR A PARTICULAR fringe any relevant patent. Under no		