

Safety Data Sheet

Wax 778-L Slab

Product name: Wax 778-L Slab 1.2 Relevant identified uses of the substance or mixture and uses advised against tedentified uses(s): Utility/Patching Wax 1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, 0H 44011 Telephone (General) 440-934-1902 Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to frest aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial reguiration for skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion I fluxets, get medical attention immediately. Ingestion I fluxets, get medical attention indexelops or persistention if presson is not breathing. Stitication persists, get medical attention mediately. Ingestion I fluxets, get medical attention immediately. Ingestion I fluxets, get medical attention indexelops or persistention if person is not breathing. Stituto persists, get medical attention indexelops or persists. If breathing is difficult, move the person to fresh air. Give artificial registration if person is not breathing. Stitu contact I mmediately flush with plenty of water for at least 15 minutes. I fluxitation persists, get medical attention imme	1.1 Product identifier Product name: Wax 778-L Slab 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s): Utility/Patching Wax 1.3 Details of the supplier of the safety data sheet Premam Manufacturing & Supply Company 1101 Moore Road, Avon, 0H 44011 Telephone (General) 440-934-1902 Www.freemansupply.com Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including procenutionary statements No table element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 11 Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration fifters to the more the person to resh air. Give artificial respiration fifters that measures For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For Contact at ambient temperatures, wash with soap and water. For Contact at ambient temperatures, wash with soap and water. For Contact at ambient temperatures, wash with soap and water. For Contact at ambient temperatures, wash with soap and water. For Contact at ambient temperatures, wash with soap and water. For Contact at ambient temperatures, wash w
1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s): Utility/Patching Wax 1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, OH 44011 Telephone (General) 440-934-1902 www.freemansupply.com 800-424-9300 CHEMTREC Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. Fye contact Infailed Masures 5.1 Extinguishing media: Suitable extinguishing media: Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsual Fire and Explosion Hazards: Avid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monxide, irritating smoke. 5.3 Advice for firefighters	Product name: Wax 778-L Slab 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s): Utility/Patching Wax 1.3 Details of the supplier of the safety data sheet Freman Manufacturing & Supply Company 1101 Moore Road, Avon, 0H 44011 Telephone (General) 440-934-1902 Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 CHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. 2.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures No component needs to be disclosed according to run shadage material. Do not peel material from skin, Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean badage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with scap and water. Fye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion I first aid mediate Do not use a solid water researy. Section 5 Fire Fighting Measures Suitable extinguishing media: Cover with clean badage material from tessesary. Softion for firet sitter of no exting Consult a physician if necessary. Softion for firet sitter of no exting consult a physician if necessary. Softion for there and Explosion Hazards: Avoid generating dust; fine
Product name: Wax 778-L Slab 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(5): Utility/Patching Wax 1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, 0H 44011 Telephone (General) 440-934-1902 1.4 Emergency telephone number www.freemansupply.com Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CPR 1910.1200 HCS 2.2 GHS Label elements; including precationary statements No label elements; or quired 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Site inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. For contact at ambient temperatures, wash with scap and water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with scap and water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with scap and water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with scap and water. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Suitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating duxt; fine duxt dispersed in air in suf	Product name: Wax 778-1 Slab 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s): Utility/Patching Wax 1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, 0H 44011 Telephone (Goneral) 440-934-1902 Network freemansupply.com 800-424-9300 CHEMTREC Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 CHS Label elements, including procentuionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean badage material. Do not peel material from skin. Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean badage material. Do not peel material from skin. Get medical astention. For contact at ambient temperatures, wash with scoap and water. Eye contact Immediately Mush to they to water for at Least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water, Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Scection 5 Fi
1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(S): Utility/Patching Wax 1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, OH 44011 Telephone (General) 440-934-1902 www.freemansupply.com Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CPR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 1 Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. Suitable extinguishing media: Suitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unsual Fire and Explosion Hazards: Avid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monxide, irritating smoke. 5.3 Advice for friefighters	1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s): Utility/Patching Wax 1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, OH 44011 Telephone (General) 440-934-1902 www.freemansupply.com 800-424-9300 CHEMTREC 800-424-9300 CHEMTREC 2.1 Classification of the substance or mixture Not classified according to OSNA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. For contact at ambient temperatures, wash with soap and water. Eye contact Inmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If irritation meedia ta physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monxide, irritating smoke. 5.3 Advice for firefighters
Identified use(s): Utility/Patching Wax 1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, 0H 44011 Telephone (General) 440-934-1902 Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No component needs to be disclosed according to the applicable regulations. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial regination if person is not breathing. Kin contact For thermal burs, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If i	Identified use(s): Utility/Patching Wax 1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, 0H 44011 Telephone (General) 440-934-1902 Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to 0SHA 29 CFR 1910.1200 HCS 2.2 CHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For contact a Imbeint temperatures, with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If waillowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsultable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsultable extinguishing media: Water for generating dust; fine dust dispersed in ari in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for irritefing from frequents
1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, OH 44011 Telephone (General) 440-934-1902 www.freemansupply.com Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label elements, including precautions burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire	1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, OH 44011 Telephone (General) 440-934-1902 Weww.freemansupply.com 800-424-9300 CHEMTREC 800-4010 to components 800-424-9300 CHEMTREC 800-401 components statements 800-424-9300 CHEMTREC 800-401 components statements 800-401 components 800-401 components statements 800-401 component needs to be disclosed according to the applicable regulations. 800-401 component needs to be disclosed according to the applicable regulations. 800-401 first aid measures 800-401 first aid enabudage material. To not peel material from skin. Core with clean bandage material. Do not peel material first signate heat. 800-401 first aid enabudage material. Do not peel material f
Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, OH 44011 Telephone (General) 440-934-1902 www.freemansupply.com Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 CHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin, Get medical attention. For contact at ambient temperatures, with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If wallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Suitable extinguishing media: Water forg, dry chemical, foam, carbon dioxide. Unsual Fire and Explosion Hazards. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for infrefighters	Freeman Mainfacturing & Supply Company 1101 Moore Road, Avon, OH 44011 Telephone (General) 440-934-1902 www.freeman supply.com Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 CHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For contact at mibeint temperatures, with soap and water. Eye contact Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at mibeint temperatures, were with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust exp
1101 More Road, Avon, OH 44011 Telephone (General) 440-934-1902 www.freemansupply.com Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For chart a tablent remperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	1101 More Road, Avon. OH 44011 Telephone (General) 440-934-1902 Www.freemansupply.com Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambiont emperatures, wash with soap and water.
Telephone (General) 440-934-1902 www.freemansupply.com 1.4 Emergency telephone number 800-424-9300 CHEMTREC Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 CHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. 5.1 Extinguishing media: Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mi	Telephone (General) 440-934-1902 www.freemansupply.com 1.4 Emergency telephone number 800-424-9300 CHEMTREC Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 CHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. For contact at ambient temperatures, wash with soap and water. Tori tration persists, get medical attention immediately. If irritation persists, get medical attention immediately. Ingestion If swallowed, rines mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. 5.1 Extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mi
800-424-9300 CHEMTREC Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Hinhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact Section 4 First Aid Measures Hinhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For over with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eve contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical atten	www.freemansupply.com 800-424-9300 CHEMTREC Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements Not classified according to OSHA 29 CFR 1910.1200 HCS 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately.
Section 2 Hazards Identification Section 2 Hazards Identification Section 2 Hazards Identification Section 2 Hazards Identification Section 2 Colspan="2">Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures S.1 Extinguishing media: Do not use a	Section 2 Hazards Identification No label element(s) required Section 3 Composition/Information on Ingredients Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperat
2.1 Classification of the substance or mixture Not classified according to 0SHA 29 CPR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, vash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If iswallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: No ot use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Ad	2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label elements (s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For othermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion I first alignedia Suitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients Section 4 First Aid Measures Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For contact at ambient temperatures, wash with soap and water. Eye contact Inmediately flush with plenty of water for at least 15 minutes. I firritation persists, get medical form, such and water. Eye contact Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. S.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating medies. Sa Advice for firefighters	 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients Section 4 First Aid Measures Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact a tambient themperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures S.1 Extinguishing media: Do not use a solid water stream as it may scatter and spread fire. S.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. S.3 Advice for firefighters Suitable extinguishing media: Suiton Products: Carbon dioxide, car
No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention in mediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Due to use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	No label element(s) required 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion Jf isvallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients Section 3 Composition/Information on Ingredients Section 3 Composition/Information on Ingredients Socomponent needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact If irritation persists, get medical attention immediately. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures S.1 Extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. S.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. S.3 Advice for firefighters Suitable extinguistion Products: Carbon dioxide, carbon monoxide, irritating smoke. Suitable extinguistion Products: Carbon dioxide, carbon mo	 2.3 Hazards not otherwise classified Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients Section 3 Composition/Information on Ingredients Section 3 Composition/Information on Ingredients Section 4 First Aid Measures Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact If wallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. S.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. S.3 Advice for firefighters Suitable extinguishing media: Carbon dioxide, carbon monoxide, irritating smoke. Suitable composition Products: Carbon dioxide, carbon monoxide, irritating smoke. Suitable cominuse of an ign
Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	Thermal decomposition can lead to release of irritating gases and vapors. Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
Molten product can cause serious burns. Section 3 Composition/Information on Ingredients A.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Suitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
Molten product can cause serious burns. Section 3 Composition/Information on Ingredients A.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unsusal Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	3.1 Mixture Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unsusal Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. 5.1 Extinguishing media: Suitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	Proprietary mixture of synthetic waxes. No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures A1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. S.3	No component needs to be disclosed according to the applicable regulations. Section 4 First Aid Measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media: Suitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	Section 4 First Aid Measures 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Soction 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. 5.1 Extinguishing media Suitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters 	 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. 5.1 Extinguishing media Suitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
InhalationGet medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing.Skin contactFor thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water.Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately.IngestionIf swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary.5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters	InhalationGet medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing.Skin contactFor thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water.Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately.IngestionIf swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters
InhalationGet medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing.Skin contactFor thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water.Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately.IngestionIf swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary.5.1 Extinguishing media Suitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters	InhalationGet medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing.Skin contactFor thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water.Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately.IngestionIf swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters
Skin contact move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	 move the person to fresh air. Give artificial respiration if person is not breathing. Skin contact For thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
Skin contactFor thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water.Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary.Section 5 Fire Fighting Measures5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters	Skin contactFor thermal burns, flush or submerge effected area in cold water to dissipate heat. Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water.Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters
Eye contactCover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water.Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary.Section 5 Fire Fighting Measures5.1 Extinguishing media Suitable extinguishing media: Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters	Eye contactCover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water.Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.Section 5 Fire Fighting Measures5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters
Eye contactFor contact at ambient temperatures, wash with soap and water.Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary.Section 5 Fire Fighting Measures5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters	For contact at ambient temperatures, wash with soap and water.Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.Section 5 Fire Fighting Measures5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters
Eye contactImmediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately.IngestionIf swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary.Section 5 Fire Fighting Measures5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters	Eye contact Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
Ingestion If irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	IngestionIf irritation persists, get medical attention immediately. If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.Section 5 Fire Fighting Measures5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke.5.3 Advice for firefighters
Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious persor Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	Do NOT induce vomiting. Consult a physician if necessary. Section 5 Fire Fighting Measures 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters 	 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters 	 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
 Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters 	 Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
 Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters 	 Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters 	 5.2 Special hazards arising from the substance or mixture Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
 Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters 	 Unusual Fire and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters	Hazardous Combustion Products: Carbon dioxide, carbon monoxide, irritating smoke. 5.3 Advice for firefighters
5.3 Advice for firefighters	5.3 Advice for firefighters
Wear self-contained breathing apparatus for firefighting if necessary.	Wear self-contained breathing apparatus for firefighting if necessary.



Wax 778-L Slab

Section 6 Accidental Release Measures			
6.1 Personal precautions, protective equipment and emergency procedures			
Wear appropriate personal protective equipment, see Section 8. Ensure adequate ventilation.			
6.2 Environmental precautions			
Should not be released into the environment. Prevent product from entering drains.			
6.3 Methods and materials for containment and cleaning up			
Allow molten material to solidify. Contain spillage and use clean non-sparking tools to collect material. Shovel			
spillage into suitable container for disposal.			
Section 7 Handling and Storage			
7.1 Dressutions for safe handling			
7.1 Precautions for safe handling Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly with soap			
and water after handling and before eating, drinking, or using tobacco. Do not use in areas without adequate			
ventilation. Avoid dust formation. Avoid contact with molten material.			
7.2 Conditions for safe storage, including any incompatibilities			
Store at room temperature. Keep away from ignition sources, heat, open flames, and direct sunlight.			
Do not store with incompatible materials, see Section 10.			
Section 8 Exposure Controls/Personal Protection			
8.1 Control parameters			
Exposure Limits/Guideline			
None			
8.2 Exposure controls			
Appropriate engineering controls			
Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched			
to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, very hot processing, mechanical generation of			
dusts, etc.			
8.3 Personal Protective Equipment (PPE)			
Eye/Face			
Wear safety glasses equipped with side shields, or safety goggles.			
Hands			
Wear thermally resistant gloves and long sleeves if handling molten product.			
Skin/Body			
Prevent skin contact, wear long sleeves and/or coveralls.			
Respiratory			
The need for respiratory protection is not anticipated under normal use conditions and with adequate			
ventilation. If elevated airborne concentrations above applicable workplace exposure levels are anticipated,			
use an N95 dust mask for limited exposure. For prolonged exposure use an air-purifying respirator. Follow			
the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA			
or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are			
experienced. Safety Stations			
Make emergency eyewash stations and washing facilities available in work area.			
General Hygienic Practices			
Avoid contamination of food, beverages, or smoking materials. Wash thoroughly after handling, and before			
eating, drinking or smoking. Remove contaminated clothing promptly and clean thoroughly before reuse.			



Wax 778-L Slab

 nor mation on physical and chemical propert	
Physical State:	Solid
Color:	Light yellow
Odor:	Mild, slight petroleum
Odor Threshold:	No data available
рН:	Not applicable
Melting Point:	140-203°F (60-95°C)
Boiling Point:	>572°F (>300°C)
Decomposition Temperature:	No data available
Flash Point:	>392°F (>200°C)
Flammability:	No data available
Lower Explosion Limit:	No data available
Upper Explosion Limit:	No data available
Vapor Pressure:	<0.01 mm Hg (77°F)
Vapor Density	> 5 (Air = 1)
Specific Gravity:	0.9 ± 0.05
Water Solubility:	Negligible
Partition Coefficient: n-octanol/water:	No data available
Autoignition Temperature:	No data available
Viscosity:	Not applicable
Explosive Properties:	Not explosive
Oxidizing Properties:	Not an oxidizer
Volatile Content	<1.0%

Section 10 Stability and Reactivity

10.1	Reactivit	y:
10.2	Chamical	ctal

- 10.2 Chemical stability:
- 10.3 Possibility of hazardous reactions:
- 10.4 Conditions to avoid:
- **10.5 Incompatible materials:**
- 10.6 Hazardous decomposition products

No dangerous reaction known under conditions of normal use. Stable under recommended storage conditions. Hazardous polymerization does not occur. Heat, sparks, open flame. Avoid dust formation. Strong oxidizing agents. Decomposition can generate carbon monoxide, carbon dioxide, and other products such as aldehydes and ketones depending on the conditions of oxidation.

Section 11 Toxicological Information

11.1 Information on toxicological effects Acute Toxicity – Dermal Acute Toxicity – Inhalation Aspiration Hazard Carcinogenicity Germ Cell Mutagenicity Skin Corrosion/Irritation Skin Sensitization Serious Eye Damage/Irritation Toxicity for Reproduction Respiratory Sensitization STOT - single exposure STOT - repeated exposure

No data available No data available Not relevant Classification criteria not met No data available No data available



Safety Data Sheet

Wax 778-L Slab

Section 12 Ecological Information

12.1 Toxicity

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT & vPvB assessment

Not classified as harmful to aquatic organisms No data available No data available No data available No data available

Section 13 Disposal Considerations

13.1 Disposal

Follow applicable Federal, State, and local regulations.

Section 14 Transport Information

14.1 DOT, TDG, IMO/IMDG, IATA/ICOA:

Not regulated

Section 15 Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the product

Inventories: This product complies with the following inventories: Australia AICS, Canada DSL, China IECSC, Europe EINECS, Japan ENCS, Korea KECI, New Zealand NZIOC, Philippines PICCS, USA TSCA **SARA 302 Components:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards Classifications: None

SARA 313 Components: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

RCRA: In the form delivered, this product is not considered as hazardous waste, and is not subject to reporting under the Resource Conservation and Recovery Act.

California Prop. 65: This product is not known to contain any components for which the State of California has found to cause cancer, birth defects or other reproductive harm.

Section 16 Other Information

16.1 Disclaimer

The following supersedes Buyer's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict of liability arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled lab work and must be confirmed by Buyer by testing for its intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.

Date of Issue: June 1, 2015 Date of Revision: August 15, 2022