

Wax Paraffin 140°F

Section 1 Identification					
Product identifiersHMISProduct name: Wax Paraffin 140°FHRelevant identified usesFIdentified uses: WaxFIdentified uses: WaxRDetails of the supplier of the safety data sheetPPEFreeman Manufacturing and Supply CompanySec. 81101 Moore Road, Avon, OH 44011Sec. 8Phone (440) 934-1902FAX (440) 934-720024 Hour Emergency Phone Number: (800) 424-9300					
	Section 2 Hazards Identificatio	 n			
Classification Not a hazardous substance according to 29 CFR 1910.1200 Label Elements Pictogram: None Signal Word: None Hazard Statements: None Precautionary Statements: None Hazards not otherwise classified When heated the vapors/fumes given off may cause respiratory tract irritation. Contact with hot material may cause thermal burns.					
Section 3	Composition/Information on I	ngredients			
Component	CAS Number	Weight %			
Paraffin wax	8002-74-2	100			
No hazardous substances or complex substances required for disclosure					
Section 4 First Aid Measures					
 Eye Contact Exposure to fumes, vapors or smoke of overheated product can result in eye irritation. Direct contact with molten material will cause injury and burns. If irritation occurs, flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get medical attention if irritation persists. Skin Contact For contact with molten material, leave material on skin and flush or immerse affected area(s), using cold water. Seek medical attention for the removal of the adhering material and treatment of the burn. Inhalation If fumes from overheated product are inhaled, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention. Ingestion Solid material is not acutely toxic. Seek medical attention if discomfort occurs. 					



Wax Paraffin 140°F

Section 5 Fire-Fighting Measures

Extinguishing media

Use dry chemical, foam, sand, water fog, carbon dioxide

Unsuitable extinguishing media

Do not use water jet as an extinguisher as it may spread the fire.

Special hazards arising from the substance or mixture

This material may burn, but will not readily ignite. During a fire, gases hazardous to health may be formed.

Hazardous combustion products

Oxides of carbon, Wax fumes, Smoke, Fume, Aldehydes, Incomplete combustion products

Advice for firefighters

Wear proper protective equipment and positive pressure self-contained breathing apparatus.

Section 6 Accidental Release Measures

Protective measures

See Section 8 for advice on the minimum requirements for personal protective equipment. Additional protective measures may be necessary, depending on the specific circumstances and/or the expert judgment of the emergency responders.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

Spill management

Land Spill: Allow spilled material to solidify and scrape up with shovels into a suitable container for recycle or disposal.

Water Spill: Stop leak if you can do it without risk. Confine the spill immediately with booms. Skim from surface and shovel into a suitable container for recycle or disposal.

Section 7 Handling and Storage

Precautions for safe handling

Wash thoroughly after handling. Do not wear contaminated clothing or shoes. Use good personal hygiene practice. Do not breath fumes/vapors. Avoid contact with molten material. Avoid heating above 100°C (212°F) unless in a well-ventilated area.

Conditions for safe storage

Store in tightly closed containers in cool, dry, well-ventilated area away from heat, sources of ignition and incompatibles such as strong oxidizers. Store at ambient or lower temperature. Store out of direct sunlight. Protect against physical damage. When kept in a molten state, inert gas blanketing may be used to avoid material degradation.

Section 8 Exposure Controls/Personal Protection

Components with workplace control parameters

Material	CAS Number	Туре	Value	Form
Paraffin wax	8002-74-2	TWA	2 mg/m ³	Fume

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Provide easy access to water supply and eye wash station.



Wax Paraffin 140°F

Section 8 Exposure Controls/Personal Protection

Personal protective equipment

Skin Protection

When handling in molten form, proper resistant clothing, gloves, and shoes must be worn. **Eye Protection**

Wear approved safety glasses. When handling in molten form, wear a face shield to prevent injury **Respiratory Protection**

No special precautions for normal use. If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable.

Specific Hygiene Measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Section 9 Physical and Chemical Properties

Appearance: Odor:	White solid at room temperature Mild petroleum
Odor Threshold:	None
pH:	None
Freezing Point	Not determined
Melting Point:	50-70°C (122-158°F)
Boiling Point:	>316°C (>601°F) [Estimated]
Evaporation Rate:	<0.01 (Butyl acetate = 1)
Flash Point:	>204°C (>399°F) [ASTM D-92]
Flammable Limits:	LEL: 0.9%, UEL: 7%
Flammability (Solid, Gas)	Will support flame above flash point
Vapor Pressure:	<0.01 mmHg at 25°C (77°F)
Vapor Density:	>5 (Air = 1)
Relative Density (at 15°C):	0.83 -0.93
Solubility in Water:	Negligible
Partition Coefficient	
(oil/water):	< 0.01
Auto-ignition Temperature:	Not determined
Decomposition Temperature:	Not determined
Percent Volatile	Negligible
Viscosity:	Solid at room temperature
· • · ·	

Section 10 Stability and Reactivity

Reactivity: This material is stable and unlikely to react in a hazardous manner under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Hazardous Reactions: No dangerous reactions known under conditions of normal use. Hazardous polymerization does not occur.

Incompatible Materials: Avoid strong oxidizing agents.



Wax Paraffin 140°F

Section 10 Stability and Reactivity

Decomposition Products: Thermal decomposition can produce a variety of products which may include oxides of carbon.

Section 11 Toxicological Information

Information on Toxicological Effects Acute Toxicity

Skim Corrosion/Irritation Serious Eye Damage/Irritation Respiratory Sensitization Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity Specific Target Organ Toxicity – Single Exposure Specific Target Organ Toxicity – Repeated Exposure Aspiration Hazard Chronic Effects Not expected to be acutely toxic Not classified Not classified Not classified Not expected to cause skin sensitization Not classified Not listed by OSHA, IARC, or NTP Not classified

Not classified

Not classified Not likely due to form Not expected to be hazardous by OSHA criteria

Further Information

Exposure to vapors, fumes, or smoke from overheated material handled in confined areas can produce irritation of respiratory tracts, and possible physical discomfort to sensitive individuals. In rats, chronic ingestion of paraffins has shown accumulation in the liver and spleen with associated nonspecific immune response.

Section 12 Ecological Information

Ecotoxicity Persistence and degradability Bioaccumulative potential Mobility in soil Results of PBT & vPvB assessment Not classified as environmentally hazardous No data available No data available This product is insoluble in water No data available

Section 13 Disposal Considerations

Not considered a RCRA hazardous waste if discarded. Disposal must be made in accordance with all applicable Local, State and Federal regulations.

Section 14 Transport Information

DOT:Not regulatedTDG:Not regulatedIMDG:Not regulatedIATA:Not regulated



Wax Paraffin 140°F

Section 15 Regulatory Information

Chemical Inventory

United States: The ingredients of this product are on or in compliance with TSCA inventory. **Canada:** The ingredients of this product are on or in compliance with DSL.

Australia: The ingredients of this product are on or in compliance with the Industrial Chemical (Notification and Assessment) Act

Japan: The ingredients of this product are on or in compliance with the Kashin-Hou Law List **Korea:** The ingredients of this product are on or in compliance with the Toxic Chemical Control Law (TCCL) List

Philippines: The ingredients of this product are on or in compliance with the Toxic Substances and Hazardous and Nuclear waste Control Act

China: The ingredients of this product are on or in compliance with the Inventory Of Existing Chemical Substances.

New Zealand: The ingredients of this product are on or in compliance with the Inventory Of Chemicals (NZIoC) as published by ERMA New Zealand.

U.S. Federal Regulations

EPCRA Section 302: This material contains no extremely hazardous substances.

SARA 311 & 312: None

SARA 313 Toxic Release Inventory: This material contains no chemicals subject to the supplier notification requirements.

State Regulations

California Proposition 65: This product contains no chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm.

International Regulations

Canadian Workplace Hazardous Materials Information System (WHMIS): This product has not been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

European Classification: Does not contain reportable REACH SVHC. I compliance with 1272/2008/EC, 2011/65/EC (RoHS), 2012/19/EU (WEEE).

These polymers are not hazardous according to EC Directives.

Section 16 Other Information

Disclaimer

The following supersedes Buyer's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict of liability arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled lab work and must be confirmed by Buyer by testing for its intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.