

Safety Data Sheet

Ferris[®] Beads 2370 Pink

Section 1 Chemical Product and Company Identification 1.1 Product identifiers Product name: Ferris[®] Beads 2370 Pink 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Jewelry Injection Wax 1.3 Details of the supplier of the safety data sheet Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, OH 44011 1.4 Emergency telephone number Telephone (440) 934-1902 CHEMTREC (800) 424-9300 www.freemansupply.com Section 2 Hazards Identification 2.1 Classification of the substance or mixture Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required 2.3 Hazards not otherwise classified Molten product can cause serious burns. Section 3 Composition/Information on Ingredients 3.1 Mixture of Substances Proprietary mixture of synthetic and natural waxes, resin(s), additive(s), and oil soluble dye(s). No components need to be disclosed according to the applicable regulations. **Section 4 First Aid Measures** 4.1 Description of first aid measures Inhalation Get medical assistance if irritation develops or persists. If breathing is difficult, move the person to fresh air. Give artificial respiration if person is not breathing. For thermal burns, flush or submerge effected area in cold water to dissipate heat. Skin contact Cover with clean bandage material. Do not peel material from skin. Get medical attention. For contact at ambient temperatures, wash with soap and water. **Eve contact** Immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention immediately, preferably an ophthalmologist. Ingestion If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. **Section 5 Fire Fighting Measures** 5.1 Extinguishing media Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide. **Unsuitable extinguishing media:** Do not use a solid water stream as it may scatter and spread fire. 5.2 Special hazards arising from the substance or mixture **Unusual Fire and Explosion Hazards:** Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. See Section 10 for possible products of hazardous combustion. **5.3 Advice for firefighters** Wear self-contained breathing apparatus for firefighting if necessary.

Section 6 Accidental Release Measures 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes. Wear appropriate personal protective equipment, see Section 8. 6.2 Environmental precautions Should not be released into the environment. Prevent product from entering drains. 6.3 Methods and materials for containment and cleaning up Do not walk through spilled material. Avoid dust formation. Contain spillage and use clean non-sparking tools to collect material. Shovel spillage into suitable container for disposal. Section 7 Handling and Storage 7.1 Precautions for safe handling Wear appropriate personal protective equipment, see Section 8. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling. Do not use in areas without adequate ventilation. Avoid breathing fumes. Avoid dust formation. Avoid contact with molten material. **Specific end use(s):** Avoid heating above 100°C (212°F) during the normal investment casting process (except dewax operations). Do not let molten product stand in melt tanks and injection machines, stir product continuously. 7.2 Conditions for safe storage, including any incompatibilities Store at ambient temperatures. Keep in closed container when not in use. Keep away from ignition sources, heat, open flames, and direct sunlight. Do not store with incompatible materials, see Section 10. **Section 8 Exposure Controls/Personal Protection** 8.1 Control parameters Substance Name **Exposure Limit / Standard** Source Wax fumes 2 mg/m³ TWA ACGIH **8.2 Exposure controls Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation may be needed in special circumstances, such as poorly ventilated spaces, very hot processing, mechanical generation of dusts, etc. 8.3 Personal protective equipment **Eve/Face** Wear safety glasses equipped with side shields, or safety goggles. Hands Chemical protective gloves should not be needed when handling this material. Use gloves to protect from mechanical injury. Use gloves with insulation for thermal protection when needed. Skin/Body No precautions other than clean body-covering clothing should be needed. Respiratory The need for respiratory protection is not anticipated under normal use conditions and with adequate ventilation. If elevated airborne concentrations above applicable workplace exposure levels are anticipated, or when adverse effects such as respiratory irritation has been experienced, or where indicated by your risk assessment process, then use an approved air-purifying respirator. Use an approved air-purifying respirator with organic vapor cartridge and particulate pre-filter when vapors are generated at increased temperatures. **Safety Stations** Make emergency evewash stations and washing facilities available in work area. **General Hygienic Practices** Wash thoroughly after handling, and before eating, drinking or smoking. Remove contaminated clothing promptly and clean thoroughly before reuse. Avoid contamination of food, beverages, or smoking

Section 9 Phy	ysical and Chemical Properties		
0.1 Information on basis abusis-1			
9.1 Information on basic physical and chemical pro			
Physical State	Solid		
Color	Pink		
Odor	Mild		
Odor Threshold	No data available		
pH	No data available		
Melting Point	>147°F (64°C)		
VOC Content	0		
Boiling Point	No data available		
Flash Point	465°F (240°C)		
Evaporation rate	No data available		
Flammability (solid, gas)	No data available		
Upper/lower flammability	No data available		
Vapor Pressure	No data available		
Vapor Density	No data available		
Relative Density (g/cc)	0.9 ± 0.05		
Water Solubility	Negligible		
Coefficient: n-octanol/water	No data available		
Auto-Ignition Temperature	No data available		
Viscosity	Solid at room temperature		
Explosive Properties	None		
Oxidizing Properties	None		
Oxidizing i Toperdes	None		
Section 2	10 Stability and Reactivity		
10.1 Reactivity:	No dangerous reaction known under conditions of normal use.		
10.2 Chemical stability:	Stable under recommended storage conditions.		
10.3 Possibility of hazardous reactions:	Hazardous polymerization does not occur.		
10.4 Conditions to avoid:	Heat, sparks, open flame. Avoid dust formation.		
10.5 Incompatible materials:	Strong oxidizing agents.		
10.6 Hazardous decomposition products	May include: carbon monoxide, carbon dioxide		
Section 11	1 Toxicological Information		
11.1 Information on likely routes of exposure	Eye contact, skin contact, ingestion		
Acute Oral Toxicity	Very low toxicity if swallowed. Harmful effects not anticipated		
	from swallowing small amounts.		
Acute Dermal Toxicity	from swallowing small amounts. No adverse effects anticipated from skin absorption.		
Acute Dermal Toxicity Acute Inhalation Toxicity			
	No adverse effects anticipated from skin absorption.		
Acute Inhalation Toxicity	No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause		
Acute Inhalation Toxicity Skin Corrosion/Irritation	No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation.		
Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation	No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met		
Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization	No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met		
Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity	No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met		
Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization	 No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen 		
Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity	 No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA. 		
Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity	 No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA. Classification criteria not met 		
Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity Aspiration Hazard	 No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA. 		
Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity	 No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA. Classification criteria not met 		
Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity Aspiration Hazard	 No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA. Classification criteria not met 		

Section 12 Ecological Information					
12.1 Toxicity 12.2 Persistence and degradability 12.3 Bioaccumulative potential 12.4 Mobility in soil 12.5 Results of PBT & vPvB assessm	ient	Not expected to be harm No data available No data available No data available No data available No data available	nful to aquatic organisms		
Section 13 Disposal Considerations					
13.1 Disposal		Follow applicable Fede	Follow applicable Federal, State, and local regulations.		
	Section 1	4 Transport Information			
14.1 DOT, TDG, IMO/IMDG, IATA/ICOA:		Not regulated	Not regulated		
	Section 1	5 Regulatory Information			
 15.1 Safety, health and environmental regulations/legislation specific for the product Inventories: This product complies with the following inventories: Canada DSL/NDSL, USA TSCA SARA 311/312 Hazards Classifications: None SARA 313 Components: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. RCRA: In the form delivered, this product is not considered as hazardous waste, and is not subject to reporting under the Resource Conservation and Recovery Act. California Proposition 65: ▲ WARNING: This product may expose you to chemicals including alpha-Methylstyrene, which is known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov. 					
Chemical Name	CAS Number	Concentration (%)	No Significant Risk Level (NSRL)		
alpha-Methylstyrene	98-83-9	<0.03 (estimated)	Not established		
Section 16 Other Information					
EXPRESSED OR IMPLIED, INC PURPOSE. No statements her circumstances shall Seller be breach of warranty, strict of l sole liability for any claims sh must be confirmed by Buyer	CLUDING ANY WA rein are to be com- liable for inciden iability arising in nall be Buyer's pu by testing for its i ended for, uses fo	ARRANTY OF MERCHANTAI strued as inducements to in ital, consequential or indirec connection with the produc rchase price. Data and resu intended conditions of use. r which prolonged contact v	SENTATION OR WARRANTY, BILITY OR FITNESS FOR A PARTICULAR fringe any relevant patent. Under no et damages for alleged negligence, et(s). Buyer's sole remedy and Seller's lts are based on controlled lab work and The product(s) has not been tested for, with mucous membranes, abraded skin, body is intended.		